



**UNC ADULT
COCHLEAR IMPLANT
PROGRAM**

**COCHLEAR IMPLANT
JOURNAL**



UNC
HEALTH CARE

TABLE OF CONTENTS

CONTACT & CLINIC INFORMATION

- ❖ Welcome Letter Page 3
- ❖ Adult Cochlear Implant Team Reference Page 4
- ❖ Clinic Contact Information Page 5
- ❖ Parking Information Page 6
- ❖ Driving Directions Page 7
- ❖ Collaborative Clinics Page 10

GETTING STARTED

- ❖ Evaluation Process Page 12
- ❖ Audiology Evaluation Checklist Page 13
- ❖ The Audiogram Page 14

ALL ABOUT SURGERY

- ❖ Pre-Surgery Information Page 15
- ❖ Day of Surgery Page 17
- ❖ Risks with Surgery Page 18

AFTER SURGERY

- ❖ Post-Surgery Information Page 19
- ❖ Warnings with a Cochlear Implant Page 21
- ❖ Personal Record of Cochlear Implant Information Page 22
- ❖ What to Expect at Initial Activation Page 23
- ❖ Initial Activation Checklist Page 25
- ❖ External Equipment Reference Page 26
- ❖ Initial Activation Page 27
- ❖ Routine Follow-up Appointments Page 28

◆ Two Week Appointment	Page 29
◆ One Month Appointment	Page 30
◆ Three Month Appointment	Page 31
◆ Six Month Appointment	Page 32
◆ One Year Appointment	Page 33
◆ Two Year Appointment	Page 34
◆ Three Year Appointment	Page 35

FUTURE REFERENCE

❖ What to do if your Equipment Breaks	Page 36
❖ Bilateral Cochlear Implantation	Page 39
❖ Tips for Traveling with a Cochlear Implant	Page 40
❖ Cochlear Implant Companies	Page 42
❖ Device Warranty Information	Page 43

MENINGITIS VACCINATION

❖ Meningitis Vaccination Information	Page 44
--------------------------------------	---------

AURAL REHABILITATION

❖ Aural Rehabilitation	Page 45
------------------------	---------

NOTES

❖ Notes	Page 47
---------	---------

WELCOME TO UNC

Welcome to the adult cochlear (kō-klē-ər) implant program at UNC! We made this journal to help you through the steps of getting a cochlear implant. Many people with hearing loss have lived in quiet for a long time. People with a cochlear implant may hear sounds they have not heard in years. We know getting a cochlear implant is a big choice. Our goal is to help you make this choice and provide as much information as possible.

The UNC cochlear implant program started more than thirty years ago. We are one of the biggest cochlear implant programs in the United States. Many people come to us from other states. We do about one hundred adult cochlear implant surgeries every year. We work with all three cochlear implant companies. These companies are Advanced Bionics, Cochlear and Med-El.

There are steps to getting and doing well with a cochlear implant. The steps involve a team approach. This team includes you, your family, audiologists, speech language pathologists, nurses and doctors. The goal of this team is to help you do your best with a cochlear implant. Getting a cochlear implant is a journey to hearing better. We will work as a team to help make this journey as smooth as possible.

Patients often ask how much better they will hear with a cochlear implant. This is a good question. Results can range from hearing sound (simple detection) to understanding speech in a noisy background. Results depend on a number of things. Some of these are a person's hearing history, history of hearing aid use, and access to spoken language. For all patients, success with a cochlear implant requires wearing the device, practice, and returning for follow up visits.

Thank you for choosing UNC to help you through this journey to better hearing. We look forward to working with you in the future. Let's begin!

ADULT COCHLEAR IMPLANT TEAM

DOCTORS

Kevin D. Brown, MD, PhD

Associate Professor, Department of Otolaryngology/Head and Neck Surgery

Matthew Dedmon, MD, PhD

Assistant Professor, Department of Otolaryngology/Head and Neck Surgery

Harold C. Pillsbury III, MD, FACS

Professor, Department of Otolaryngology/Head and Neck Surgery

NURSES

Tracy Stalker, RN

Clinical Nurse, Dr. Brown

Cynthia Marriott, LPN

Clinical Nurse, Dr. Dedmon

Kathy Tommerdahl, RN

Clinical Nurse, Dr. Pillsbury

CLINICAL AUDIOLOGISTS

English King, AuD

Manager of UNCH Audiology

Sarah Dillon, AuD

Adrienne Pearson, AuD

Kristen Quinones, AuD

Clinical Audiologists

Andrea Bucker, AuD

Audiology Supervisor / Clinical Coordinator of Adult CIs

Jenna Raymond, AuD

Noelle Roth, AuD

Allison Young, AuD

Clinical Audiologists

RESEARCH AUDIOLOGISTS

Margaret Dillon, AuD

Associate Professor, Department of Otolaryngology/Head and Neck Surgery

Director, Cochlear Implant Clinical Research

Meredith Rooth, AuD

Assistant Professor, Department of Otolaryngology/Head and Neck Surgery

CLINIC INFORMATION

UNC HOSPITALS AUDIOLOGY

Two Clinic Locations:

UNC HOSPITALS HEARING & VOICE CENTER AT CAROLINA CROSSING

2226 Nelson Highway
Suite 102
Chapel Hill, NC 27517

New Patients for Cochlear Implant Evaluation: (984) 974-2599 or email:

AdultCIProgram@unchealth.unc.edu

Return Patients for Follow-Up Cochlear Implant Appointment: (984) 974-2141

Audiology Fax: (919) 490-5818

UNC HOSPITALS AUDIOLOGY AT PITTSBORO

57 Grant Drive
Suite F
Pittsboro, NC 27312

Audiology Appointments: (984) 974-2141 / Clinic: (984) 215-6750

Audiology Fax: (984) 215-6751

UNC DEPARTMENT OF OTOLARYNGOLOGY/HEAD AND NECK SURGERY (ENT)

Two Clinic Locations:

UNC ENT AT MEADOWMONT

3rd Floor of the 400 Building
431 Meadowmont Village Cir
Chapel Hill, NC 27517

UNC ENT AT CAROLINA CROSSING

2226 Nelson Highway
Suite 101
Chapel Hill, NC 27517

ENT Appointments: (984) 974-6484 (for both locations)

ENT Fax: (984) 974-3499

PARKING

AT SATELLITE CLINICS

Patients and visitors may park in front lot outside of **UNC Hospitals Hearing & Voice Center at Carolina Crossing** clinic. Parking is available just outside the entrance to **UNC Hospitals Audiology at Pittsboro**. Parking is available on both sides of the 400 Building for the **UNC Ear, Nose & Throat at Meadowmont**. There is currently no cost to park at these UNC Health Care satellite clinics.

DIRECTIONS

UNC HOSPITALS HEARING & VOICE CENTER AT CAROLINA CROSSING PHONE: (984) 974-2141

- From I-40 West, take exit 273
- Turn right onto NC-54 West
- Stay straight through first light (Farrington Road)
- Stay in right lane (lane will end making you turn right)
- Turn right onto Nelson Highway (Hwy 54 Access/Service Road)
- Clinic will be on the left (3-story light red brick building)
- From I-40 East, take exit 273A
- You will merge onto NC-54 West
- Stay straight through first light (Farrington Road)
- Stay in right lane (lane will end making you turn right)
- Turn right onto Nelson Highway (Hwy 54 Access/Service Road)
- Clinic will be on the left (3-story light red brick building)

UNC HOSPITALS AUDIOLOGY AT PITTSBORO PHONE: (984) 215-6750

- Click [HERE](#) for Driving Directions

UNC EAR, NOSE & THROAT AT MEADOWMONT PHONE: (984) 974-6484 (IF ENT APPT IS NOT AT CAROLINA CROSSING)

- Click [HERE](#) for Driving Directions

DIRECTIONS

UNC HOSPITALS MAIN CAMPUS (FOR SURGERY)

DIRECTIONS FROM THE SOUTH:

- Take US 15-501 North to Chapel Hill.
- US 15-501 turns into South Columbia Street.
- Turn right on Manning Drive.
- Parking for the Hospital is in the Dogwood Deck garage.
- The Dogwood deck garage is 3/10 of a mile on the right.

DIRECTIONS FROM THE NORTH:

- Take NC 86 South.
- NC 86 turns into Martin Luther King Jr. Boulevard.
- Turn right onto Cameron Avenue (2nd light after Franklin Street).
- Turn left right away onto Pittsboro Street.
- Go left when the road splits.
- Go across South Columbia Street to be on Manning Drive.
- Parking for the Hospitals is in the Dogwood Deck garage.
- The Dogwood deck garage is 3/10 of a mile on the right.

DIRECTIONS FROM THE EAST:

- Take I-40 West to exit #273A.
- Take NC 54 West to Chapel Hill.
- Take US 15-51 South to Manning Drive.
- Turn right on Manning Drive.
- Parking for the Hospitals is in the Dogwood Deck garage.
- The Dogwood Deck is 9/10 of a mile from US 15-501 on the left.

DIRECTIONS FROM THE WEST:

- Take NC 54 East to Chapel Hill.
- Exit at Columbia Street/US 15-501
- Turn left onto South Columbia Street.
- Turn right on Manning Drive.
- Parking for the Hospitals is in the Dogwood Deck garage.
- The Dogwood Deck garage is 9/10 of a mile from US 15-501.

DIRECTIONS

AMBULATORY CARE CENTER (ACC) (FOR SURGERY)

DIRECTIONS FROM THE SOUTH:

- Take US 15-501 North to Chapel Hill.
- US 15-501 turns into South Columbia Street.
- Turn right on Manning Drive.
- Turn right on West Drive.
- Turn right on Mason Farm Road.
- The ACC entrance is ¼ miles on the left.
- The parking lot is around the building.

DIRECTIONS FROM THE EAST:

- Take I-40 West to exit #273A.
- Take NC 54 West to Chapel Hill.
- Take US 15-51 South to Manning Drive.
- Turn right on Manning Drive.
- Turn left on West Drive.
- Turn right on Mason Farm Road.
- The ACC entrance is ¼ miles on the left.
- The parking lot is around the building.

DIRECTIONS FROM THE NORTH:

- Take NC 86 South.
- NC 86 turns into Martin Luther King Jr. Boulevard.
- Turn right onto Cameron Avenue (2nd light after Franklin Street).
- Turn left right away onto Pittsboro Street.
- Go left when the road splits.
- Go straight across South Columbia Street to be on Manning Drive.
- Turn right on West Drive.
- Turn right again on Mason Farm Road.
- The ACC entrance is ¼ mile on the left.
- The parking lot is around the building.

DIRECTIONS FROM THE WEST:

- Take NC 54 East to Chapel Hill.
- Exit at Columbia Street/US 15-501.
- Turn left onto South Columbia Street.
- Turn right on Manning Drive.
- Turn right on West Drive.
- Turn right again on Mason Farm Road.
- The ACC entrance is ¼ miles on the left.
- The parking lot is around the building.

COLLABORATIVE CLINICS

Following patients' 6 month post-surgery visit at our clinic, they may begin to seek follow-up care and programming at clinics closer to home. Several clinics across the state in an effort to make continued care more accessible for all patients. Patients can choose which location they use for follow up, but it is recommended to call prior to the appointment if not being seen at UNC clinics to verify billing practices and insurance coverage.



1. AIM HEARING, GREENSBORO, NC

528 College Road, Suite B.
Greensboro, NC 27410
336-295-1064

<http://aimhearing.com>

2. BRIGHT AUDIOLOGY, SANFORD, NC

1620 South Third St.
Sanford, NC 27330
919-888-4634

<https://brightaudiology.com/>

3. LAKESIDE AUDIOLOGY, FORT MILL, SC

870 Gold Hill Rd., Suite 104
Fort Mill, SC 29708
803-620-8250

<https://www.lakesidehears.com/>

4. THE HEARING CENTER, ASHEVILLE, NC

One Vanderbilt Park Dr., Suite 110

Asheville, NC

828-277-1000

<http://www.thehearingcenter.com/>

5. WILMINGTON HEARING SPECIALISTS

SOUTHPORT, NC

412-E North Howe St.

Southport, NC 28461

WILMINGTON, NC

3909 Wrightsville Ave #110

Wilmington, NC 28403

910-791-4755 (for both locations)

<https://www.mywilmingtonhearing.com/>

EVALUATION PROCESS

THE GOAL OF A COCHLEAR IMPLANT EVALUATION:

- Decide if getting a cochlear implant is a good option for you
- Go over test results
- Make suggestions based on results
- Give information about cochlear implant technology
- Answer questions

THE EVALUATION PROCESS:

- **Hearing Test**
 - Audiologist (hearing specialist) will go over your hearing history
 - Test your hearing with and without hearing aids
 - Test your speech understanding with and without hearing aids
- **Medical Check**
 - A doctor who specializes in ears will go over your medications and health history
 - A scan or x-ray will most likely be done to look at the inside of your ear
 - The doctor will talk about surgery, procedure, and risks


WHO IS A COCHLEAR IMPLANT CANDIDATE?

- Moderate to profound sensorineural hearing loss (sensory-neural, when there is damage to the inner ear or to the nerve pathways from the inner ear to the brain) in both ears
- Little or no benefit with hearing aids
- Clear understanding of cochlear implantation and end results
- Commitment to process and follow-up appointments

COCHLEAR IMPLANT AUDIOLOGY EVALUATION CHECKLIST

- Case History
- Unaided Audiogram
- Unaided Speech Reception Threshold
- Unaided Word Recognition Score
- Aided Audiogram
- Aided Speech Reception Threshold
- Aided Speech Perception Testing
- Review of Test Results
- Cochlear Implantation Discussion
 - Devices _____
 - Processor/Wearing Options _____
 - Battery Options _____
 - Color Options _____
 - Warranty _____
- Follow-Up Schedule
- Use of Hearing Aid in other Ear
- MRI Compatibility (differs between manufacturers)
- Meningitis Vaccination Recommendation
- Auditory Rehabilitation Therapy Options

THE AUDIOGRAM



Audiogram Source: <http://www.medel.com/us/audiogram/>

An audiogram is a picture which shows the softest levels you can hear. The tones that you listen for during a hearing test range from low-pitch to high-pitch. The loudness of the sound is measured in decibels (dB). The pitch or frequency of the sound is referred to in Hertz (Hz). This picture shows how your hearing differs from normal hearing and the degree of hearing loss that you have in each ear.

PRE-SURGERY

SCHEDULING

- An ENT surgery scheduler will set-up these visits for you:
 - Pre-op with ENT doctor
 - Surgery
 - Post-op with ENT doctor
- **You may see an appointment with Audiology for the day of surgery. This is not an appointment for which you need to attend. This appointment is for the purpose of documenting and billing for the testing of your cochlear implant in the OR.**
- An audiology scheduler will set-up your “initial activation”. This is when you get the outside part and start to hear sound with the implant.
 - You will get a call after you get home from hospital.
 - This is normally scheduled two to three weeks after surgery.
 - You may wear your hearing aid in the opposite ear.
- Please make sure your phone number, email, and address are correct in hospital system. Hospital staff may need to contact you.

PRE-OP VISIT

- Your pre-op visit will start in the ENT Clinic.
- The doctor will check your medical history.
- The doctor will talk about risks of surgery.
- Consent forms will need to be signed.
- Your questions will be answered.
- You will also be seen in PRE-CARE for further testing, if needed.
 - Blood work, Electro-cardiogram (EKG) and chest X-Ray (CXR), if needed
 - Results are looked at before surgery

- You may have visits with other doctors. This will be needed if you have a medical problem that may be complicated by being put to sleep for surgery.
- Imaging of temporal bone will be taken (if not already done). The temporal bone is the part of your head where your organ of hearing is located.
- Be ready to be at UNC Hospitals for several hours.

PRE-SURGERY INFORMATION

- **You may see an appointment with Audiology for the day of surgery. This is not an appointment for which you need to attend. This appointment is for the purpose of documenting and billing for the testing of your cochlear implant in the OR.**
- PRE-CARE will call the last day before your surgery.
 - If your surgery is on a Monday, they will normally call on the Friday before.
- PRE-CARE will tell you what time you should come for surgery.
 - The call will not be before 3:00 PM.
- Adult cochlear implant surgeries happen in the **Ambulatory Care Center (ACC)** or **Main operating room** on UNC's hospital grounds.
- Tell us if you are sick or have a fever within three days of surgery.
 - You can reach the ENT clinic at (919) 966-6484.
- **Do not take aspirin (or medications that have aspirin) within 2 weeks before your surgery day.**
- **Do not eat after midnight before your surgery.**
- **You may drink small amounts of clear liquids up to 2 hours before your arrival time.**

DAY OF SURGERY

- **You may see an appointment with Audiology for the day of surgery. This is not an appointment for which you need to attend. This appointment is for the purpose of documenting and billing for the testing of your cochlear implant in the OR.**
- Report to your surgery location.
- You will be taken to the pre-op area.
- Your family will be taken to a waiting area.
- The outpatient surgery will last about 2-3 hours.
- The doctor will talk to your family after the surgery.
- After you wake up, you will be taken to the recovery area.
- Your family will be able to come to your bedside.
- The nurse will be watching you as you continue to wake up.
 - Checking your vital signs, level of consciousness, bandage.
- Recovery times can vary.
- Plan to spend 23-hours in the hospital. This means an overnight stay.
- You will leave with a bandage/dressing over your ear.
 - The nurse will give you instructions on how to care for your ear at home.
- A prescription for an antibiotic and pain medication will be given to you. Please tell the doctor any medications you cannot take.

RISKS WITH SURGERY

RISKS WITH COCHLEAR IMPLANT SURGERY:

- Loss of natural (or residual) hearing in implanted ear
- Greater chance for infection in the fluid around the brain and spinal cord (known as meningitis)
- Facial nerve stimulation / involuntary facial twitching
- Swelling (Inflammation)/Pushing or thrusting out (Extrusion)
 - Soreness, redness, breakdown of skin in area around device
- Failure of implanted device
- Greater chance for infection in the fluid around the brain and spinal cord (Meningitis)

Please find full information regarding meningitis vaccination on last pages of CI journal

RISKS WITH ANY EAR SURGERY:

- Numbness/tenderness around the ear
- Neck pain
- Injury to the facial nerve
- Taste change (dry mouth or a metal taste in mouth)
- Leak of inner ear fluid (Perilymph) or fluid that surrounds the brain (Cerebrospinal)
- Dizziness / Vertigo
- Ringing in the ears (Tinnitus)
- Local complications such as blood, fluid or infection at or near surgery site
- Rashes (skin reactions)

GENERAL RISKS:

- Post-surgery pain, scarring, bleeding and infection
- Risks associated with being put to sleep (problems with the heart, lungs, kidneys, liver and brain due to general anesthesia)

POST-SURGERY

- Please call the doctor's nurse or the triage nurse if you have questions once you are home.
- **If you have questions after clinic hours (8:30-4:30 M-F), please call 919-966-4131.**
 - **This is the UNC Hospital main telephone number.**
 - **Ask to speak to the ENT doctor-on-call.**
- You may have a sore throat for a few days.
- You may have dry mouth or a metal taste for a few weeks after surgery. But, this may last longer.
- Start with clear liquids at first. Then try to eat solid food. Try not to eat hard or crunchy foods the first week.
- A stiff neck or pain in your neck can last for a few weeks after the surgery.
- Lack of feeling/numbness or stiffness around your ear is normal. This can last for a few months.
- Your ear may stick out for a few days from swelling. It should go back to normal as your ear heals.
- **Call right away if *clear liquid* starts dripping from your nose.**
- Dizziness can be normal for a little while after surgery.
- Do not take off the bandage (unless told by the doctor).
- **Do not get the bandage wet.**
- The bandage will catch any drainage and help stop buildup of fluid. Pinkish drainage is normal. **Call right away if *bright red* drainage is found.**
- The doctor will take off the bandage at your first post-op visit to look at the site.

POST-OP VISIT

- You will come back about one week after surgery to have your bandage taken off by the doctor.
- The doctor will make sure site is healing well and there is no sign of infection.
- The audiologist may check the inside piece to make sure it is working.
 - Also done in the operating room at time of surgery.
 - This only takes a few minutes.

WARNINGS WITH A COCHLEAR IMPLANT

- Be careful when playing sports and in certain activities (contact sports, bicycling, and rollerblading) without a helmet.
- Try not to hit head during activity (football, soccer, etc.).
- Wear a helmet for sports like riding a bicycle.
- If the inside piece is not working, then you may need another surgery. This is called a “revision surgery”.
- The US Food and Drug Administration (FDA) does not allow or limits certain imaging (MRI = magnetic resonance imaging) with a cochlear implant. This differs between manufacturers. Please check with your doctor or audiologist.
- The use of high-frequency electric current to cut tissue during surgery (Electrosurgery) and electroshock therapy can permanently hurt the device.
- Electrically induced heat (Diathermy) or spinal cord stimulation (neurostimulation) cannot be used over the implant. This can hurt the cochlear tissue and the inside piece.
- A treatment for some types of cancer (Ionizing radiation) will hurt the inside piece.
- **If you have a medical problem or question, please contact your cochlear implant doctor.**

COCHLEAR IMPLANT INFORMATION

Date Implanted: _____

CI Company: _____

Ear Implanted: _____

Processor Type: _____

Speech Processor

Serial Number(s): _____

Warranty ends: _____

Doctor: _____

Contact Number: _____

Nurse: _____

Contact Number: _____

Audiologist(s): _____

Contact Number: _____

Contact E-mail: _____

Fax Number: _____

WHAT TO EXPECT AT “INITIAL ACTIVATION”

You can keep using your hearing aid in the other ear until you come to your “initial activation” visit. This is when you get the outside part of your implant and start to hear sound. At this visit, we will ask that you not wear your hearing aid in the other ear. After several months with your new implant, you may go back to wearing your old hearing aid also. For some patients, we may talk about getting a second cochlear implant.

About two to four weeks after surgery, you will be fit with the outside part of the cochlear implant. This time allows your ear to heal. The main outside piece is called the speech processor. It has to be “mapped” or programmed for you to hear sound through the cochlear implant. During the first six months of hearing with your implant, reprogramming or remapping is done about five times. As your hearing and understanding with the cochlear implant gets better, less reprogramming visits are needed.

To begin, the speech processor is put behind your ear. The outside magnet (coil) is put on your head. The outside magnet and the inside magnet connect to each other. The coil is connected to the speech processor by a transmitting cable.

Next, the programming or “mapping” of the speech processor begins. The speech processor is connected to the audiologist’s computer. Individual electrodes of the implant are stimulated. You will hear a series of “beeps”. You will hear different pitches or tones. The audiologist will measure your response to these sounds. We are trying to figure out the levels that are loud but comfortable. We may also measure sounds that are very soft.

After measuring these sounds, the speech processor microphone is turned on. This will let you hear sounds that are around you, including speech. The volume will be turned up slowly. Hearing speech through your cochlear implant may sound unnatural at first. The sound you hear on the first day of listening is different for every patient.

For some, speech may sound like “beeps”. For others, speech may sound like a voice. Typically if it sounds like a voice, it is not a normal voice. Patients often describe speech as sounding “mechanical”, “cartoonish”, “Mickey Mouse”, “Donald Duck”. The quality of sound will get better with time and practice.

Finally, your “map” is saved to the speech processor. We will counsel on how to use, troubleshoot, care for and maintain your outside equipment.

With each day, with each week, you will hear and make out more sounds as you listen. Learning to listen again and understand what you are hearing takes time and practice. Be patient. Your family and friends should speak to you normally. They do not need to raise their voices. Having others read books, magazines, and newspapers aloud are good ways to practice listening. Listening to books on tape, while you follow along in reading is a good way to practice on your own. Please ask your audiologist for other ways or ideas that you can learn and practice at home.

COCHLEAR IMPLANT INITIAL ACTIVATION ORIENTATION CHECKLIST

EQUIPMENT:

- Identification of external parts
 - Processor/Control Unit, cable, headpiece/coil, battery pack
- Device operation & troubleshooting
- Equipment care & maintenance
- Batteries
- Accessories
- Use of remote control (if applicable)
- Ordering parts & batteries
 - Manufacturer versus online (www.microbattery.com)

DOCUMENTS:

- Manufacturer registration
- User manual
- ID card
 - Warnings & Precautions; Caution of MRI (differs between manufacturers)
- Manufacturer patient information/insurance forms

RECOMMENDATIONS:

- Read user manual before next visit
- Wear device all waking hours
- Check magnet site. If redness or swelling occurs, call your ENT surgeon**
- Try to work through all programs

EXTERNAL EQUIPMENT

Please refer to your Company's User Manual for instructions on how to use your remote (if applicable) as well as care and maintenance of your external unit.

**AB
Naida CI Q90**



**MED-EL
SONNET (EAS)**

**COCHLEAR
CP1000 (N7)**



INITIAL ACTIVATION

DATE: _____

- This visit is ~2-3 weeks after surgery. It will be about two hours long.
- Today you will hear through the cochlear implant.
- At this visit, we will ask that you not wear your hearing aid in the other ear
- You will be fit with your outside equipment (speech processor, battery pack, transmitting cable and coil / headpiece).
- A program or “MAP” is made by measuring sounds that you hear through the cochlear implant. This is done while connected to audiologist’s computer.
- You will hear different pitches or tones as each electrode is stimulated. We will increase the volume of each tone until it is a loud but comfortable level. You may also listen for sounds that are very soft.
- We will turn on the microphone. We will ask you to tell us what you are hearing. You may hear anything from “bells” to speech. This is normal.
- We will talk about many things today. We will teach you how to use, troubleshoot, care for and maintain your equipment. We know that you may not remember everything.
- We will complete product registration and talk about warranty information.
- Please read your user manual and bring any questions you have to your next appointment. You will return for your next follow-up appointment in 2-3 weeks.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

AUDIOLOGY

FOLLOW-UP VISITS

- You will learn and adjust with the cochlear implant more quickly in the beginning. For this reason, a lot of mapping changes are needed in the first year.
- We will see you for multiple follow-up testing and mapping sessions in the first year.
 - (2-3-weeks after initial activation for EAS recipients)
 - 1-month after initial activation
 - 3-months after initial activation
 - 6-months after initial activation
 - 12-months after initial activation
- After one year, patients are normally seen once a year. These yearly visits are important. We want to make sure you continue to do well with your cochlear implant.

TWO WEEK APPOINTMENT

DATE: _____

- You have now heard many new sounds.
- You may have many questions. It may help to write all of these down. That way we can make sure to answer them during your appointment.
- We will start in the test booth. You will listen for some soft sounds and speech.
- We will then check the inside piece.
- We will also reprogram the speech processor.
- Changes are made to the programs at every appointment. This helps you hear more sound as you learn to listen with the cochlear implant.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

ONE MONTH APPOINTMENT

DATE: _____

- We start this appointment in the test booth. We will test you with your cochlear implant. You will listen to soft sounds and speech. These scores will be compared to your past scores. Testing gets harder as you progress.
- We will then check the inside piece.
- We will reprogram the speech processor.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

THREE MONTH APPOINTMENT

DATE: _____

- We will begin this appointment in the test booth. We will test you with your cochlear implant. You will listen to soft sounds and speech. These scores will be compared to your old scores.
- We will then check the inside piece.
- We will reprogram the speech processor.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

SIX MONTH APPOINTMENT

DATE: _____

- We will begin this appointment in the test booth. We will test you with your cochlear implant. You will listen to soft sounds and speech. These scores will be compared to your old scores.
- We will then check the inside piece.
- We will reprogram the speech processor.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

ONE YEAR APPOINTMENT

DATE: _____

- Congratulations! You have now had your cochlear implant for one year.
- From now on, you will only need to schedule follow-up visits for once a year. But you can make an appointment before that if needed.
- We will begin this appointment in the test booth. We will test you with your cochlear implant. You will listen to soft sounds and speech. These scores will be compared to your old scores.
- We will then check the inside piece.
- We may reprogram the speech processor.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

TWO YEAR APPOINTMENT

DATE: _____

- We will begin this appointment in the test booth. We will test you with your cochlear implant. You will listen to soft sounds and speech. These scores will be compared to your old scores.
- We will then check the inside piece.
- We may reprogram the speech processor.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

THREE YEAR APPOINTMENT

DATE: _____

- Today's appointment should be scheduled just before the end of your warranty (if applicable). Your warranty may be three years or five years. This depends on your cochlear implant company.
- We will look at all of your equipment to make sure it is working properly. The equipment that is not working it will be replaced through the company.
- We will begin this appointment in the test booth. We will test you with your cochlear implant. You will listen to soft sounds and speech. These scores will be compared to your old scores.
- We will then check the inside piece.
- We may reprogram the speech processor.

NEW PROGRAMS:

PROGRAM 1: _____

PROGRAM 2: _____

PROGRAM 3: _____

PROGRAM 4: _____

WHAT TO DO IF YOUR EQUIPMENT BREAKS

At some point your outside equipment may stop working. When this happens, your equipment may need to be repaired or replaced. Please keep in mind that you should have back up equipment that you can use. You received this back up equipment at your initial activation. It should be in your kit. So hopefully you will never have to be “off the air”.

Please take the following steps:

- 1) Remember that you have a back-up unit or cochlear implant parts.
- 2) Pull out your user manual. Look over the troubleshooting section.
- 3) Visit your cochlear implant company’s website. They have troubleshooting tips, guides and/or videos.
- 4) If you cannot fix the problem yourself, call or email your cochlear implant company. They can help you troubleshoot the problem and workout what parts need to be replaced. All companies have audiologists who can respond quickly. Please note that you can order replacement cochlear parts or batteries directly from your cochlear implant company.
- 5) If you are still having a problem, call the clinic at (984) 974-4479 during business hours. It is an automated phone system. You will need to select #2 for adult services and then #3 to get to the front desk. Ask for a cochlear implant audiologist. If we are not available, please ask to leave a message. Tell us what is happening and which parts (and serial numbers) you are having problems with. We will contact you as soon as possible.

**We ask that you call your company first before calling the clinic. This will likely save you time and help in getting you back to hearing more quickly.

ADVANCED BIONICS (MONDAY THROUGH FRIDAY, 8AM – 8PM EST)
PHONE: 1-877-829-0026 (CUSTOMER SERVICE REP, **JOE NORRIS**, IS DEDICATED TO WORKING WITH RECIPIENTS TO TROUBLESHOOT (PHONE OR EMAIL)
EMAIL: CUSTOMERSERVICE@ADVANCEDBIONICS.COM

ONLINE TROUBLESHOOTING:

<HTTPS://ADVANCEDBIONICS.COM/CONTENT/ADVANCEDBIONICS/COM/EN/HOME/SUPPORT/TROUBLESHOOTING-GUIDE.HTML>

COCHLEAR AMERICAS (OPEN MONDAY THROUGH FRIDAY, 8AM – 8PM AND SATURDAYS 10AM – 2PM EST)

PHONE: 1-800-483-3123

EMAIL: CUSTOMER@COCHLEAR.COM;

RECIPIENTCARE@COCHLEAR.COM

ONLINE SUPPORT:

<HTTPS://WWW.COCHLEAR.COM/US/EN/HOME/ONGOING-CARE-AND-SUPPORT/DEVICE-SUPPORT>

MED-EL CORPORATION (AVAILABLE 24 HRS/DAY, 7 DAYS/WEEK, 365 DAYS/YEAR; IF CALLING AFTER 5:30 EST, PRESS 1 FOR CUSTOMER SERVICE OR 2 FOR AUDIOLOGY)

PHONE: 1-888-633-3524

EMAIL: CUSTOMERSERVICE.US@MEDEL.COM

ONLINE TROUBLESHOOTING:

<HTTP://WWW.MEDEL.COM/US/USER-SUPPORT-TROUBLESHOOTING/?TITEL=TROUBLESHOOTING-GUIDE&>

IF YOU ARE IN WARRANTY

The company can send replacement parts to your home. If you are in warranty, there should be no cost to repair/replace external parts (does not apply to accessories).

These parts are normally shipped via Fed-Ex. **DO NOT** throw the bad parts away.

The company will want the bad parts back. Your replacement equipment will come with a pre-paid, pre-addressed Fed-Ex label. Use this label to ship the broken parts back to the company.

IF YOU ARE OUT OF WARRANTY

If you are out of warranty, there will most likely be a cost to you to replace or repair parts. In some cases, insurance plans may cover some of this cost. Requests normally have to be approved through insurance first. This means the process of repairing or replacing equipment may take longer.

If you have *Medicare*:

- Contact the company to figure out what parts need to be replaced. You can order these parts from the company.
- The company should contact you when insurance approval has been received. They will let you know if and how much money you owe.
- Medicare normally covers 80% of the cost of a repair or replacement.
- Parts can normally be shipped to your home. Again, you will need to ship the broken equipment back to the company.

If you have *Private Insurance*:

- The company **may** be able to ask for approval from your insurance provider, but you may have to pay up front. If your insurance approves, you may get repaid from the insurance provider.
- All three companies offer extended warranty. The price of these “service contracts” varies. It is in your best interest to buy an extended warranty when the original warranty ends. Please contact your cochlear implant company for more information.

BILATERAL COCHLEAR IMPLANTATION

Views on having a cochlear implant in both ears (bilateral cochlear implantation) have changed a lot in recent years. It is more common to implant both ears. If a patient has limited benefit from a hearing aid in the other ear, we may talk about the option of a second cochlear implant. If a patient still has usable hearing in the other ear, we may recommend a hearing aid in this ear along with the cochlear implant. This decision is unique to each patient.

Research shows that two ears are better than one. In order for a patient to do his/her best, bilateral cochlear implantation may be recommended. There are several benefits of having two cochlear implants:

- Better speech understanding in noise
- Being able to know where sounds come from (localization)
- Never being without sound. If the internal or external parts from one cochlear implant side need repair or replacement, patient can still hear with the other side.

Most insurance providers support bilateral cochlear implantation. Determining candidacy for bilateral cochlear implantation would be made by the CI team – CI audiologist, surgeon, and patient/family. Certain criteria must be met in order to be considered a candidate for a second side implant:

- Successful and consistent use of the first device
- Active participation in follow-up care
- No physical contraindications for placement of the implant (any medical reason for not getting implant, i.e., CT scan results)
- Medically cleared for surgery
- Realistic expectations and commitment to follow-up appointments

TIPS FOR TRAVELING

- Take extra parts (like a back-up speech processor, battery pack, coil, and cables) with you in case of emergency.
- Take plenty of batteries (disposable or rechargeable). If you use rechargeable, do not forget your battery charger (and adapter if needed).
- Remember to take your drying jar or Dry & Store box with you so you can put your processor in it overnight. This is important if you will be somewhere with high humidity.

Will anything happen to my cochlear implant when I walk through airport security?

Not normally. You should leave your speech processor on so you can hear what is going on around you. If your processor is set on the telecoil “T” setting, you may hear some buzzing. This is normal.

If the metal detector alarm goes off, what should I do?

Metal detectors and scanners will not hurt the inside piece or outside speech processor. If you pass through the security metal detector, your cochlear implant may set the alarm off. If the alarm goes off, security may use a handheld wand to screen you. The wand will not harm your cochlear implant, but it will beep when it passes over your implant.

Show your patient ID card and explain that you have a hearing implant. Tell them that the speech processor is a hearing device that you must wear in order to hear through the implant.

What should I do with my back-up speech processor when I fly?

Turn your spare speech processor OFF and keep it inside a carry-on bag. Place the bag onto the conveyer belt at airport security. Never place your processor right onto a conveyer belt. Static electricity may build up and harm your MAP or program. The x-ray machine should not affect your MAP if the processor is turned off.

Note: A low-level x-ray is used to screen carry-on luggage. The x-ray will not harm your processor or the MAP. Never put your spare processor into checked baggage as this could expose it to damaging x-rays.

Will my implant send signals that can interfere with the plane's navigational instruments?

Your implant cannot get in the way of the plane's systems. Your implant sends out radio frequency (RF) signals. They are very short range (less than five feet from the outside coil). Your remote assistant or Fine Tuner (if applicable) does send out high frequency radio waves and should be turned off during take-off and landing. If your remote does not have an "off" switch, do not use it.

Like other electronic devices, should I turn off my speech processor during take-off and landing?

No. Cochlear implant patients DO NOT have to turn off their speech processors when instructions are given to turn off cell phones, music players or anything with an on/off switch. The FAA views a cochlear implant in the Hearing Aid category. If you have a remote control for your speech processor, this should be turned off or not used during this time.

How can I listen to the in-flight music or watch a movie?

You can plug your speech processor into the plane's audio system. You would need to use your audio cable accessory. (See your user manual on how to connect the Audio Adaptor Cable to your speech processor.)

Further questions regarding the TSA's guidelines for airport screening and how it relates to your hearing loss and cochlear implant, may be found at:

<http://www.tsa.gov/traveler-information/travelers-disabilities-and-medical-conditions>

Resource: <http://www.cochlear.com/wps/wcm/connect/us/recipients/recipient-support/nucleus/nucleus-5/living-with-your-device/traveling-tips>

COCHLEAR IMPLANT COMPANIES




Advanced Bionics Corporation

28515 Westinghouse Place
Valencia, CA 91355

<http://www.advancedbionics.com/us/>

1.877.829.0026



Cochlear Corporation

13059 E. Peakview Avenue
Centennial, CO 80111

www.cochlearamericas.com

1.800.483.3123

hearLIFE

MED⁹EL

MED-EL Corporation

2511 Old Cornwallis Road, Suite 100
Durham, NC 27713

<http://www.medel.com/us/>

1.888.633.3524

DEVICE WARRANTY INFORMATION

“In warranty” means there is no cost to repair or replace broken parts.

- **Advanced Bionics** offers a **5-year** warranty for the sound processor, headpiece/magnet, transmitting cable, T-mic and charger. The rechargeable batteries are covered for **1 year**.
- **Cochlear Corporation** offers a **5-year** warranty for the sound processor, coil, transmitting cable, and Remote Assistant. The battery holder (for disposable batteries) and the rechargeable batteries are covered for **1 year**.
- **MED-EL** offers a **5-year** warranty for the sound processor, coil, transmitting cable, battery pack, and Fine Tuner. The battery covers are covered for **2 years** and rechargeable batteries are covered for **1 year**.

*****Warranty can change from year to year for part(s) for all manufacturers.**

***** Parts are replaced due to “normal wear and tear” only.**

The warranty for the outside parts starts the day you get your equipment. A one-time replacement for loss and damage (beyond repair) is offered during this warranty period. You can buy extended coverage through the company for after the initial warranty ends.

The warranty for the inside part starts the day of your surgery. Cochlear implants are man-made medical electronic devices. The internal devices are made to last a long time, but they may not last a lifetime. All three CI companies offer a **10-year** warranty for the inside piece.

MENINGITIS VACCINATION

Dear Cochlear Implant Candidate:

We are writing to tell you about getting a vaccination (shot) for an infection called meningitis. Shots can help protect you from pneumococcal infections. This infection may become meningitis. It is an infection in the fluid around the brain and spinal cord. Meningitis is serious and life threatening.

The Food and Drug Administration, Centers for Disease Control and health departments looked at meningitis rates with children with cochlear implants. They found children with cochlear implants at a higher risk for getting meningitis than those without. We believe this is important for adults as well. That is why it is suggested that adults with cochlear implants get the recommended shots to help reduce their chance of getting meningitis.

There are two main types of meningitis: viral and bacterial. Bacterial is the more serious type. Two types of bacterial meningitis have been found in people with cochlear implants. These types are *Streptococcus pneumonia* (“Pneumococcus”) and *Haemophilus influenzae* type B. The symptoms, treatment and results depend on the cause of the infection.

The Center for Disease Control recently changed the guide for meningitis shots for adults with cochlear implants. The new guide is for users to get both the 23-valent pneumococcal polysaccharide vaccine (Pneumovax 23, PPSV23) and the 13-valent pneumococcal conjugate vaccine (Prevnar 13, PCV 13). Please talk to your doctor about the shot and your case.

Keeping this infection from happening is important. Please get this shot before your surgery. You can get this shot from your general doctor or your local county health department.

For more information, please visit the Center for Disease Control’s website at:

http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6140a4.htm?s_cid=mm6140a4_w

AURAL REHABILITATION

You got a cochlear implant and had it turned on. Now you need to learn how to listen and understand all of the new sounds coming from your implant. Research has shown that adults make faster progress in their understanding of speech and sounds using a treatment called Aural Rehabilitation (Aural Rehab).

What is Aural Rehab (also called Auditory Therapy)?

In Aural Rehab, you will learn how to listen and understand the new sounds that come from your cochlear implant. Aural Rehab can improve your skills when talking with others. Improving these skills may help you feel more secure with your implant.

Aural Rehab includes exercises that help you:

- Understand the difference between sounds and whole words
- Understand new sounds that have not been heard before
- Read along and follow someone else's speech while they read aloud
- Notice when you or someone you are talking to does not understand what is said.
- Learn when to change your setting to improve your understanding. Learn how to set up the phone to work with your implant
- Enjoy music
- Learn how your implant affects the people around you, and help your family and friends learn about your implant
- Make your speech more clear. Learn and practice skills that will make you more comfortable when talking

UNC Health Care has a great staff of speech language pathologist (SLPs) that offer Aural Rehab to our patients with cochlear implants. The first step is to meet with the SLP for an evaluation. At this appointment, the SLP will check what skills you have and what skills you need help with by testing:

- How you make speech sounds

- How you understand speech
- Your memory
- Your reading and writing skills
- Your listening skills
- How well you can understand someone talking without being able to see their lips

We encourage all patients to make an Aural Rehab evaluation appointment with one of our speech language pathologists to learn what this therapy can offer you. You can make an appointment at UNC Hospitals Hearing & Voice Center by calling (984) 974-2141.

There are also some free resources available online which you can listen and practice with at home. Some of these programs include:

ANGEL SOUND

- FREE Interactive Listening Rehabilitation and Functional Hearing Test Program **for adults and teens**
- A self-paced rehabilitation program that allows you to practice and perfect your listening skills at home.
- Angel Sound™ is an **UPGRADED** and **FREE** version of “**Sound and WAY Beyond**”, an auditory rehabilitation program based on CAST technology and distributed by Cochlear Americas.
- Includes basic to advanced training modules. The functional hearing test module provides a perfect tool to self-assess your functional hearing with a variety of speech and music recognition tests, including auditory resolution, phoneme, music, speech in quiet and noise, and auditory cognition (short-term memory) etc.
- <http://angelsound.tigerspeech.com/>

THE LISTENING ROOM

- FREE activities and resources to support the development of speech, language and listening skills of children, adolescent, and adult cochlear implant recipients
- Sponsored by AB (Advanced Bionics)
- www.thelisteningroom.com

SOUND SUCCESS

- Activities to help build confidence and skills in following speech both with speech-reading cues and without
- Sponsored by AB (Advanced Bionics)
- <http://abrehabportal.com>

SOUNDSCAPE

- Interactive Listening Activities sponsored by MED-EL
- Listening games are designed to help test and listening skills
- Different interactive listening activities designed for various age groups
- Adults: Sentence Matrix - activity is designed for practicing speech recognition while reading sentences
<http://www.medel.com/us/soundscape/>

NOTES

DATE: _____

DATE: _____

DATE: _____

NOTES

DATE: _____

DATE: _____

DATE: _____

NOTES

DATE: _____

DATE: _____

DATE: _____

NOTES

DATE: _____

DATE: _____

DATE: _____

Approved by UNCH Pt. Education Committee 10/1/2013

FK:5.1

HDF #3829