

Neuroplasticity:

The brain's ability to adapt and change with experience

By: Maureen Marquie, SPT



SCHOOL OF
MEDICINE






Schedule


- What is neuroplasticity?
- Neuroplasticity and stroke
- Timeline of neuroplasticity following stroke
- Neuroplasticity principles
- Learning stages
- Promoting brain health
- Review

What is neuroplasticity?

- Neuroplasticity refers to how the brain **changes** with **experience**.
- Following injury or rehabilitation, changes to brain structure and function may occur.



Neuroplasticity & stroke



- Strokes occur when areas of the brain are deprived of oxygen leading to death of cells
- The death of brain cells results in inflammation, nerve connection loss, and interrupted homeostasis causing impairments.
- The **brain can adapt and change!**



Neuroplasticity & stroke



- How does the brain adapt and change?

- The brain can **remap and reorganize** areas

- Rehab can help drive recovery by making you use areas in the brain that were injured/affected by the stroke.

Normal hand representation

Hand representation two months after digit 3 amputation



Kaas et al., 1983



Timeline of neuroplasticity following stroke


After a stroke there are two general ways the brain recovers:

- 1) Spontaneous recovery:** first 3 months
- 2) Therapeutic-induced recovery:** days-years



Neuroplasticity principles

- **Use it or lose it**
 - Failure to use the weak extremity results in an inability to use it in the future
- **Use it and improve it**
 - Doing a certain task helps train the brain and leads to enhancement of that function





Neuroplasticity principles

- **Specificity**
 - Training/rehabilitation needs to be specific
- **Repetition and intensity matter**
 - Number of reps and intensity during rehabilitation are important for lasting brain change
- **Experience matters**
 - Optimal training in a helpful environment

Learning stages

- 3 stages

1) Cognitive. 2) Associative 3) Autonomous



Early Learning	Later Learning
Lots of repetitions	Practicing a task in a sequence or random order
More frequent practice	More spread-out practice



Promoting brain health

- Exercise
 - **Aerobic exercise:** walk, jog, dance, circuits, stairs, swim, bike, etc.
 - **Resistance training:** bands, weights, bodyweight, etc.





Review

- Neuroplasticity describes how the brain changes from experience
- Neuroplasticity is involved in learning
- The brain can remap and reorganize
- There is spontaneous recovery and therapeutic-induced recovery.
- There are multiple principles of brain change
- Exercise promotes brain health

References

1. Kleim JA, Jones TA. Principles of experience-dependent neural plasticity: implications for rehabilitation after brain damage. *J Speech Lang Hear Res.* 2008;51(1):S225-S239. doi:10.1044/1092-4388(2008/018)
2. Cassidy JM, Cramer SC. Spontaneous and Therapeutic-Induced Mechanisms of Functional Recovery After Stroke. *Transl Stroke Res.* 2017;8(1):33-46. doi:10.1007/s12975-016-0467-5
3. Takahashi CD, Der-Yeghiaian L, Le V, Motiwala RR, Cramer SC. Robot-based hand motor therapy after stroke. *Brain.* 2008;131(Pt 2):425-437. doi:10.1093/brain/awm311
4. About Stroke . American Stroke Association. <https://www.stroke.org/en/about-stroke>. Accessed February 18, 2022.
5. Desowska A, Turner DL. Dynamics of brain connectivity after stroke. *Rev Neurosci.* 2019;30(6):605-623. doi:10.1515/revneuro-2018-0082
6. Kaas JH, Nelson RJ, Sur M, Dykes RW, Merzenich MM. The somatotopic organization of the ventroposterior thalamus of the squirrel monkey, *Saimiri sciureus*. *J Comp Neurol.* 1984;226(1):111-140. doi:10.1002/cne.902260109
7. Cramer SC, Sur M, Dobkin BH, et al. Harnessing neuroplasticity for clinical applications. *Brain.* 2011;134(Pt 6):1591-1609. doi:10.1093/brain/awr039
8. Toner J, Moran A. In praise of conscious awareness: a new framework for the investigation of "continuous improvement" in expert athletes. *Front Psychol.* 2014;5:769. Published 2014 Jul 16. doi:10.3389/fpsyg.2014.00769
9. Krakauer JW. Motor learning: its relevance to stroke recovery and neurorehabilitation. *Curr Opin Neurol.* 2006;19(1):84-90. doi:10.1097/01.wco.0000200544.29915.cc
10. Mang CS, Campbell KL, Ross CJ, Boyd LA. Promoting neuroplasticity for motor rehabilitation after stroke: considering the effects of aerobic exercise and genetic variation on brain-derived neurotrophic factor. *Phys Ther.* 2013;93(12):1707-1716. doi:10.2522/ptj.20130053

References

11. Austin MW, Ploughman M, Glynn L, Corbett D. Aerobic exercise effects on neuroprotection and brain repair following stroke: a systematic review and perspective. *Neurosci Res.* 2014;87:8-15. doi:10.1016/j.neures.2014.06.007
12. Szelenberger R, Kostka J, Saluk-Bijak J, Miller E. Pharmacological Interventions and Rehabilitation Approach for Enhancing Brain Self-repair and Stroke Recovery. *Curr Neuropharmacol.* 2020;18(1):51-64. doi:10.2174/1570159X17666190726104139
13. Jadavji NM, Emmerson JT, MacFarlane AJ, Willmore WG, Smith PD. B-vitamin and choline supplementation increases neuroplasticity and recovery after stroke. *Neurobiol Dis.* 2017;103:89-100. doi:10.1016/j.nbd.2017.04.001
14. Santoro S, Lo Buono V, Corallo F, et al. Motor imagery in stroke patients: a descriptive review on a multidimensional ability. *Int J Neurosci.* 2019;129(8):821-832. doi:10.1080/00207454.2019.1567509
15. Kaas JH, Merzenich MM, Killackey HP. The reorganization of somatosensory cortex following peripheral nerve damage in adult and developing mammals. *Annu Rev Neurosci.* 1983;6:325-356. doi:10.1146/annurev.ne.06.030183.001545
16. Kwakkel G, Veerbeek JM, van Wegen EE, Wolf SL. Constraint-induced movement therapy after stroke. *Lancet Neurol.* 2015;14(2):224-234. doi:10.1016/S1474-4422(14)70160-7
17. Moawad H, Metrus N. How a Stroke Causes Brain Damage . Verywellhealth. <https://www.verywellhealth.com/how-does-a-stroke-cause-brain-damage-3146287>. Published January 16, 2020. Accessed March 11, 2022.
18. Mark VW, Taub E, Morris DM. Neuroplasticity and constraint-induced movement therapy. *Eura Medicophys.* 2006;42(3):269-284.
19. Mang CS, Campbell KL, Ross CJ, Boyd LA. Promoting neuroplasticity for motor rehabilitation after stroke: considering the effects of aerobic exercise and genetic variation on brain-derived neurotrophic factor. *Phys Ther.* 2013;93(12):1707-1716. doi:10.2522/ptj.20130053
20. Hortobágyi T, Granacher U, Fernandez-Del-Olmo M, et al. Functional relevance of resistance training-induced neuroplasticity in health and disease. *Neurosci Biobehav Rev.* 2021;122:79-91. doi:10.1016/j.neubiorev.2020.12.019
21. Kramer SF, Hung SH, Brodtmann A. The Impact of Physical Activity Before and After Stroke on Stroke Risk and Recovery: a Narrative Review. *Curr Neurol Neurosci Rep.* 2019;19(6):28. Published 2019 Apr 22. doi:10.1007/s11910-019-0949-4