


COMMUNICATION PARTNER TRAINING



Courses and Publications

Here you will find a list of resources for you to increase your knowledge and skills around communication partner training (CPT). Resources listed include courses about specific CPT programs as well as courses more generally related to counselling and working with families.

You will also find a list of research publications focused on CPT. While we understand these publications do not necessarily offer clinic-ready resources or methods, they do describe a variety of CPT approaches that have been studied and may be helpful to your practice.

Courses

Supported Conversation for Adults with Aphasia (SCA™) by Aphasia Institute:

<https://www.aphasia.ca/communication-tools-communicative-access-sca/>

Better Conversations with Aphasia: an e-learning resource by UCL's Division of Psychology and Language Sciences (PaLS):

<https://www.ucl.ac.uk/short-courses/search-courses/better-conversations-aphasia-e-learning-resource>

Supporting Partners of People with Aphasia in Relationships and Conversation (SPPARC) (Book + downloadable materials and digital resources)

<https://www.routledge.com/SPPARC-Supporting-Partners-of-People-with-Aphasia-in-Relationships-and-Lock-Wilkinson-Bryan/p/book/9780863886898>

Life Participation Approach to Aphasia (LPAA) Knowledge Certificate Course by Aphasia Access:

<https://www.aphasiaaccess.org/knowledgebadge/>

Family Adaptations to Brain Injury: Thinking with Speedbumps by the American Association for Marriage and Family Therapy:

<https://www.aamft.org/store/detail.aspx?id=L1712>

Using Medical Family Therapy with Caregivers of Older Adults by the American Association for Marriage and Family Therapy:

<https://www.aamft.org/store/detail.aspx?id=L1724>

Integrative Couple and Family Therapies: Treatment models for Complex Clinical Issues by the American Psychological Association:

<https://www.apa.org/education-career/ce/1360564>

Applying Hope to Couple Therapy by the American Psychological Association:

<https://www.apa.org/education-career/ce/ccw0077>

Couples and Family Therapy CE Courses by PESI:

<https://catalog.pesi.com/category/couples-family-therapy>

Gottman Couples Therapy Online Training by The Gottman Institute:

<https://www.gottman.com/product-category/online-learning-professionals/>

Introduction to Murray Bowen's Theory of Human Functioning by The Bowen Center for the Study of the Family

<https://www.thebowencenter.org/introduction>

Publications

Open Access or ASHA Access:

Ahlsén, E., & Saldert, C. (2018). Activity-based communication analysis – focusing on context in communication partner training. *Aphasiology*, 32(10), 1194–1214.

<https://doi.org/10.1080/02687038.2018.1464645>

Beeke, S., Johnson, F., Beckley, F., Heilemann, C., Edwards, S. & Maxim, J., et al. (2014) Enabling better conversations between a man with aphasia and his conversation partner: incorporating writing into turn taking. *Research on Language & Social Interaction*, 47(3), 292-

305. <https://doi.org/10.1080/08351813.2014.925667>

Beeke, S., Beckley, F., Johnson, F., Heilemann, C., Edwards, S., Maxim, J., & Best, W. (2015) Conversation focused aphasia therapy: investigating the adoption of strategies by people with agrammatism, *Aphasiology*, 29:3, 355-377, <https://doi.org/10.1080/02687038.2014.881459>

Beeke, S., Volkmer, A., & Farrington-Douglas, C. (2021). TeleCPT: Delivery of a Better Conversations approach to Communication Partner Training during a global pandemic and beyond. *Perspectives of the ASHA Special Interest Groups*, 6(6), 1776-1785. https://pubs.asha.org/doi/10.1044/2021_PERSP-21-00160

Hagge, D. (2014). Alternative service delivery model: A group communication training series for partners of persons with aphasia. *Perspectives on Neurophysiology & Neurogenic Speech & Language Disorders*, 24,114–117. <https://doi.org/10.1044/nnsld24.3.114>

Kagan, A., Black, S. E., Duchan, F. J., Simmons-Mackie, N., & Square, P. (2001). Training volunteers as conversation partners using “Supported Conversation for Adults with Aphasia” (SCA): a controlled trial. *Journal of Speech, Language, and Hearing Research*, 44(3), 624–638. [https://doi.org/10.1044/1092-4388\(2001\)051](https://doi.org/10.1044/1092-4388(2001)051)

Kong, A. P., Chan, K. P., & Jagoe, C. (2021). Systematic Review of Training Communication Partners of Chinese-speaking Persons with Aphasia. *Archives of rehabilitation research and clinical translation*, 3(4), 100152. <https://doi.org/10.1016/j.arrct.2021.100152>

Schaffer, K. M., & Henry, M. L. (2021). Counseling and care partner training in primary progressive aphasia. *Perspectives of the ASHA Special Interest Groups*, 6(5), 1015–1025.

https://doi.org/10.1044/2021_persp-20-00296

Shrubsole, K., Power, E., & Hallé, M. C. (2023). Communication partner training with familiar partners of people with aphasia: A systematic review and synthesis of barriers and facilitators to implementation. *International journal of language & communication disorders*, 58(2), 601–628.

<https://doi.org/10.1111/1460-6984.12805>

Volkmer, A., Spector, A., Warren, J. D., & Beeke, S. (2018). The “Better Conversations with Primary Progressive Aphasia (BCPPA)” program for people with PPA (Primary Progressive Aphasia): protocol for a

randomised controlled pilot study. *Pilot and Feasibility Studies*, 4, 158. <https://doi.org/10.1186/s40814-018-0349-6>

For purchase or through a library:

Beckley, F., Best, W. & Beeke, S. (2017) Delivering communication strategy training for people with aphasia: what is current clinical practice? *International Journal of Language & Communication Disorders*, 52(2), 197-213. <https://doi.org/10.1111/1460-6984.12265>

Bevington, L. J. (1985) The Effect of a Structured Education Programme on Relatives' Knowledge of Communication with Stroke Patients, *Australian Journal of Human Communication Disorders*, 13(1) 117-121, <https://doi.org/10.3109/asl2.1985.13.issue-1.09>

Boles, L. (2015). Establishing Alignment in Aphasia Couples Therapy in a Woman With Wernicke's Aphasia: A Case Study. *Communication Disorders Quarterly*, 36(4), 219–230. <https://doi.org/10.1177/1525740114544317>

Boles, L., & Lewis, M. (2003) Working with couples: solution focused aphasia therapy, *Asia Pacific Journal of Speech, Language and Hearing*, 8(3), 153-159, <https://doi.org/10.1179/136132803805576110>

Booth, S., & Perkins, L. (1999) The use of conversation analysis to guide individualized advice to carers and evaluate change in aphasia: a case study, *Aphasiology*, 13(4-5), 283-303, <https://doi.org/10.1080/026870399402109>

Borenstein, P., Linell, S., & Währborg, P. (1987). An innovative therapeutic program for aphasia patients and their relatives. *Scandinavian journal of rehabilitation medicine*, 19(2), 51–56.

Beeke, S., Maxim, J., & Wilkinson, R. (2007). Using conversation analysis to assess and treat people with aphasia. *Seminars in speech and language*, 28(2), 136–147. <https://doi.org/10.1055/s-2007-970571>

Blom Johansson, M., Carlsson, M., Östberg, P. & Sonnander, K. (2012) Communication changes and SLP services according to significant others of persons with aphasia. *Aphasiology*, 26(8), 1005-1028. <https://doi.org/10.1080/02687038.2012.671927>

Blom Johansson, M., Carlsson, M., Östberg, P. & Sonnander, K. (2013) A multiple-case study of a family-oriented intervention practice in the early rehabilitation phase of persons with aphasia. *Aphasiology*, 27(2), 201-226. <https://doi.org/10.1080/02687038.2012.744808>

Booth, S., & Swabey, D. (1999). Group training in communication skills for carers of adults with aphasia. *International journal of language & communication disorders*, 34(3), 291–309. <https://doi.org/10.1080/136828299247423>

Carragher, M., Sage, K., & Conroy, P. (2015). Preliminary analysis from a novel treatment targeting the exchange of new information within storytelling for people with nonfluent aphasia and their partners. *Aphasiology*, 29, 1383–1408. <https://doi.org/10.1080/02687038.2014.988110>

Chang, H. F., Power, E., O'Halloran, R., & Foster, A. (2018). Stroke communication partner training: a national survey of 122 clinicians on current practice patterns and perceived implementation barriers and

facilitators. *International Journal of Language & Communication Disorders*, 53(6), 1094–1109.

<https://doi.org/10.1111/1460-6984.12421>

Cherney, L. R., Simmons-Mackie, N., Raymer, A., Armstrong, E., & Holland, A. (2013). Systematic review of communication partner training in aphasia: methodological quality. *International Journal of Speech-Language Pathology*, 15(5), 535–545. <https://doi.org/10.3109/17549507.2013.763289>

Croteau, C. & Le Dorze, G. (2006) Overprotection, “speaking for”, and conversational participation: a study of couples with aphasia. *Aphasiology*, 20(2-4), 327-336. <https://doi.org/10.1080/02687030500475051>

Croteau, C., McMahon-Morin, P., Le Dorze, G. & Baril, G. (2020) Impact of aphasia on communication in couples. *International Journal of Language & Communication Disorders*, 55(4), 547-557.

<https://doi.org/10.1111/1460-6984.12537>

Cruice, M., Blom Johansson, M., Isaksen, J., & Horton, S. (2018). Reporting interventions in communication partner training: a critical review and narrative synthesis of the literature. *Aphasiology*, 32(10), 1234–1265.

<https://doi.org/10.1080/02687038.2018.1482406>

Cunningham, R., & Ward, C. (2003) Evaluation of a training programme to facilitate conversation between people with aphasia and their partners, *Aphasiology*, 17(8), 687-707,

<https://doi.org/10.1080/02687030344000184>

Eriksson, K., Hartelius, L., & Saldert, C. (2016). On the diverse outcome of communication partner training of significant others of people with aphasia: an experimental study of six cases. *International Journal of Language & Communication Disorders / Royal College of Speech & Language Therapists*, 51(4), 402–414.

<https://doi.org/10.1111/1460-6984.12216>

Fox, S., Armstrong, E., & Boles, L. (2009) Conversational treatment in mild aphasia: A case study, *Aphasiology*, 23:7-8, 951-964, <https://doi.org/10.1080/02687030802669526>

Hallé, M.-C., Le Dorze, G., & Mingant, A. (2014). Speech-language therapists’ process of including significant others in aphasia rehabilitation. *International Journal of Language & Communication Disorders*, 49(6), 748–760.

<https://doi.org/10.1111/1460-6984.12108>

Hilton, R., Leenhouts, S., Webster, J., & Morris, J. (2014). Information, support and training needs of relatives of people with aphasia: Evidence from the literature. *Aphasiology*, 28(7), 797–822.

<https://doi.org/10.1080/02687038.2014.906562>

Hinckley, J. J., & Packard, M. E. (2001). Family education seminars and social functioning of adults with chronic aphasia. *Journal of communication disorders*, 34(3), 241–254. [https://doi.org/10.1016/S0021-9924\(01\)00049-1](https://doi.org/10.1016/S0021-9924(01)00049-1)

[https://doi.org/10.1016/S0021-9924\(01\)00049-1](https://doi.org/10.1016/S0021-9924(01)00049-1)

Hinckley, J. J., & Packard, M. E. (2001). Family education seminars and social functioning of adults with chronic aphasia. *Journal of communication disorders*, 34(3), 241–254. [https://doi.org/10.1016/S0021-9924\(01\)00049-1](https://doi.org/10.1016/S0021-9924(01)00049-1)

[https://doi.org/10.1016/S0021-9924\(01\)00049-1](https://doi.org/10.1016/S0021-9924(01)00049-1)

- Hinckley, J. J., Packard, M. E., & Bardach, L. G. (1995). Alternative family education programming for adults with chronic aphasia. *Topics in stroke rehabilitation*, 2(3), 53–63. <https://doi.org/10.1080/10749357.1995.11754080>
- Hopper, T., Holland, A., & Rewega, M. (2002) Conversational coaching: Treatment outcomes and future directions, *Aphasiology*, 16(7), 745-761, <https://doi.org/10.1080/02687030244000059>
- Isaksen, J., Blom Johansson, M., Cruice, M., & Horton, S. (2018). Essential elements of communication partner training – can they be identified using the TIDieR checklist? *Aphasiology*, 32(sup1), 99–100. <https://doi.org/10.1080/02687038.2018.1487011>
- Johansson, M.B., Carlsson, M. & Sonnander, K. (2011) Working with families of persons with aphasia: a survey of Swedish speech and language pathologists. *Disability & Rehabilitation*, 33(1), 51-62. <https://doi.org/10.3109/09638288.2010.486465>
- Jagoe, C., Isaksen, J., Cruice, M., Pais, A., & Bowen, A. (2018). Evaluating communication partner training in aphasia: considering qualitatively informed randomised controlled trials (RCT) in an international context. *Aphasiology*, 32(sup1), 103–104. <https://doi.org/10.1080/02687038.2018.1486389>
- Kagan, A. (1998) Supported conversation for adults with aphasia: methods and resources for training conversation partners, *Aphasiology*, 12:9, 816-830, <https://doi.org/10.1080/02687039808249575>
- Lock, S., Wilkinson, R., Bryan, K., Maxim, J., Edmundson, A., Bruce, C., & Moir, D. (2001). Supporting Partners of People with Aphasia in Relationships and Conversation (SPPARC). *International Journal of Language & Communication Disorders*, 36, 25–30. <https://doi.org/10.3109/13682820109177853>
- McMenamin, R., Tierney, E., & MacFarlane, A. (2015) Addressing the long-term impacts of aphasia: how far does the Conversation Partner Programme go?, *Aphasiology*, 29(8), 889-913, <https://doi.org/10.1080/02687038.2015.1004155>
- Mooney, A., Beale, N., & Fried-Oken, M. (2018). Group Communication Treatment for Individuals with PPA and Their Partners. *Seminars in Speech and Language*, 39(3), 257–269. <https://doi.org/10.1055/s-0038-1660784>
- Nykänen, A., Nyrkkö, H., Nykänen, M., Brunou, R., & Rautakoski, P. (2013) Communication therapy for people with aphasia and their partners (APPUTE), *Aphasiology*, 27:10, 1159-1179, <https://doi.org/10.1080/02687038.2013.802284>
- Oelschlaeger, M. L., & Damico, J. S. (2000). Partnership in conversation. *Journal of Communication Disorders*, 33(3), 205–225. [https://doi.org/10.1016/S0021-9924\(00\)00019-8](https://doi.org/10.1016/S0021-9924(00)00019-8)
- O'Rourke, A., Power, E., O'Halloran, R., & Rietdijk, R. (2018). Common and distinct components of communication partner training programmes in stroke, traumatic brain injury and dementia. *International Journal of Language & Communication*, 53(6), 1150–1168. <https://doi.org/10.1111/1460-6984.12428>
- Purdy, M., & Hindenlang, J. (2005) Educating and training caregivers of persons with aphasia, *Aphasiology*, 19 (3-5), 377-388, <https://doi.org/10.1080/02687030444000822>

- Rautakoski, P. (2011) Partners' self-perceptions of the use of different communication strategies during total communication intervention. *Aphasiology*, 25(12), 1523-1542. <https://doi.org/10.1080/02687038.2011.624164>
- Rautakoski, P. (2011) Training total communication, *Aphasiology*, 25(3), 344-365, <https://doi.org/10.1080/02687038.2010.530671>
- Rautakoski, P. (2012) Self-perceptions of functional communication performance during total communication intervention, *Aphasiology*, 26(6), 826-846, <https://doi.org/10.1080/02687038.2011.651710>
- Saldert, C, Jensen, L. R., Blom Johansson, M., & Simmons-Mackie, N. (2018). Complexity in measuring outcomes after communication partner training: alignment between goals of intervention and methods of evaluation. *Aphasiology*, 32(10), 1167–1193. <https://doi.org/10.1080/02687038.2018.1470317>
- Saldert, Charlotta, Johansson, C., & Wilkinson, R. (2015). An interaction-focused intervention approach to training everyday communication partners: a single case study. *Aphasiology*, 29(3), 378–399. <https://doi.org/10.1080/02687038.2014.948803>
- Simmons-Mackie, N. (2018). Communication partner training in aphasia: reflections on communication accommodation theory. *Aphasiology*, 32(10), 1215–1224. <https://doi.org/10.1080/02687038.2018.1428282>
- Simmons-Mackie, N., Kearns, K., & Potechin, G. (2005) Treatment of aphasia through family member training, *Aphasiology*, 19(6), 583-593, <https://doi.org/10.1080/02687030444000408>
- Simmons-Mackie, N., Raymer, A., Armstrong, E., Holland, A., & Cherney, L. R. (2010). Communication partner training in aphasia: a systematic review. *Archives of Physical Medicine and Rehabilitation*, 91(12), 1814–1837. <https://doi.org/10.1016/j.apmr.2010.08.026>
- Simmons-Mackie, N., Raymer, A., & Cherney, L. R. (2016). Communication partner training in aphasia: an updated systematic review. *Archives of Physical Medicine and Rehabilitation*, 97(12), 2202-2221.e8. <https://doi.org/10.1016/j.apmr.2016.03.023>
- Sorin-Peters, R. (2004) The evaluation of a learner-centered training programme for spouses of adults with chronic aphasia using qualitative case study methodology. *Aphasiology*, 18(10), 951-975. <https://doi.org/10.1080/02687030444000453>
- Sorin-Peters, R. & Patterson, R. (2014) The implementation of a learner-centred conversation training programme for spouses of adults with aphasia in a community setting. *Aphasiology*, 28(6), 731-749. <https://doi.org/10.1080/02687038.2014.891094>
- Tessier, A., Power, E., & Croteau, C. (2020). Paid worker and unfamiliar partner communication training: A scoping review. *Journal of communication disorders*, 83, 105951. <https://doi.org/10.1016/j.jcomdis.2019.105951>
- Turner, S. & Whitworth, A. (2006) Clinician's perceptions of candidacy for conversation partner training in aphasia: how do we select candidate for therapy and do we get it right? *Aphasiology*, 20(7), 616-643. <https://doi.org/10.1080/02687030600687860>

Wielandt, S., van de Sandt-Koenderman, M.W.M.E., Dammers, N. & Sage, K. (2018) ImPACT: a multifaceted implementation for conversation partner training in aphasia in Dutch rehabilitation settings. *Disability & Rehabilitation*, 40(1), 76-89. <https://doi.org/10.1080/09638288.2016.1243160>

Wielandt, S. M., Berns, P., van de Sandt-Koenderman, M. W. M. E., Dammers, N., & Sage, K. (2017). "Now it is about me having to learn something" Partners' experiences with a Dutch conversation partner training programme (PACT). *International Journal of Language & Communication Disorders*, 52(2), 143–154. <https://doi.org/10.1111/1460-6984.12248>

Wielandt, S. M., Sage, K., Heijenbrok-Kal, M. H., & Van De Sandt-Koenderman, M. W. M. E. (2016). Candidacy for conversation partner training in aphasia: findings from a Dutch implementation study. *Aphasiology*, 30(6), 699–718. <https://doi.org/10.1080/02687038.2015.1100707>

Wilkinson, R., Bryan, K., Lock, S., & Sage, K. (2010) Implementing and evaluating aphasia therapy targeted at couples' conversations: A single case study, *Aphasiology*, 24 (6-8), 869-886, <https://doi.org/10.1080/02687030903501958>

Wilkinson, R., Lock, S., Bryan, K., & Sage, K. (2011) Interaction-focused intervention for acquired language disorders: Facilitating mutual adaptation in couples where one partner has aphasia, *International Journal of Speech-Language Pathology*, 13 (1), 74-87, <https://doi.org/10.3109/17549507.2011.551140>

Wilkinson, R., Bryan, K., Lock, S., Bayley, K., Maxim, J., Bruce, C., Edmundson, A., & Moir, D. (1998). Therapy using conversation analysis: helping couples adapt to aphasia in conversation. *International journal of language & communication disorders*, 33, 144–149. <https://doi.org/10.3109/13682829809179412>

Währborg, P., & Borenstein, P. (1989) Family therapy in families with an aphasic member, *Aphasiology*, 3(1) 93-98, <https://doi.org/10.1080/02687038908248978>