

Project Lead	Focus	Primary Reviewer	Secondary Reviewer A	Secondary Reviewer B	Recused
Amy Abramowitz, MD Jennifer Muise, MS, OTR/L, LCSW, LCAS	Improve the outpatient care of patients with a dementia through targeted support for their caregivers.	DeWalt	Leino	Donnelly	Shaheen
Savannah Erwin, PhD Shelby Ortiz, PhD	Implementation of Clinical Treatment Outcome Evaluation within The Center of Excellence for Eating Disorders (CEED). We aim to use clinical outcomes to empirically inform programmatic changes, such as adaptations of existing ED treatments to better address the needs of low-SES and minority patients, who have historically been underserved in NC.	Moore	Shaheen	Strickler	
Kittra Felton, Patient Services Manager Rebecca Fenner, CN IV Christina Martin, CN IV Reaves Houston. 4th Year Med Student David Lynch, MD	Supply the Nursing staff with evidence based, quantitative data to discuss with the physician team and create a plan of care conversation with all parties involved with geriatric patients with dementia.	Dawes	Kolarczyk	Dewalt	
Shiva Zargham, MD	Develop a debriefing culture in the pediatric emergency department along with educating our future debriefing leaders.	Kolarczyk	Olm-Shipman	Moore	Donnelly Dawes
Katie Butler, MD Erin Finn, MD Ria Dancel, MD, FACP, SFHM, FAAP	Early identification and documentation of pediatric patients with difficult intravenous access (DIVA) and earlier use of ultrasound guidance and involvement of specialized venous access teams. It will furthermore decrease the reliance on central venous catheters and their associated complications including central line associated bloodstream infections (CLABSI).	Shaheen	Ivester	Olm-Shipman	Donnelly Dawes
Melissa Chen, MD Maggie Hodges, MD Randy Detwiler, MD Judy Lester,	Establish a joint multi-disciplinary, multi-specialty clinic to address barriers to kidney transplant candidacy for morbidly obese adults. We believe this initiative will reduce disparities in transplant	Olm-Shipman	Donnelly	Dawes	Kolarczyk

Clinical Dietician II	listing faced by obese patients with end-stage renal disease.				
Anne Peery, MD Emily Coscia, MS, RD, LDN, CNSC Sara Bliss PharmD, BCPS, BCNSP, BCCCP, FASPEN	To decrease inappropriate initiation of parenteral nutrition (PN). To evaluate timing of PN initiation in patients who have a clinical indication that is consistent with current guidelines. To decrease delays in discharge for patients requiring home PN (HPN) therapy and to ensure continuity of care.	Strickler	Dewalt	Ivester	
Afsaneh Pirzadeh, MD	Implement a standardized care pathway for pediatric patient falling within the defined criteria for acute stroke.	Ivester	Moore	Leino	Donnelly Dawes